



Sedibeng District Municipality

SPECIFICATION: 8/2/2/57-2011

Terms Of Reference & Criteria: Technical Bid Specification

Part 1

This system was procured by Council during 2005/2006 financial year and the entire equipment is still in good condition.

BOSCH CCS800 DELEGATE ADDRESS SYSTEM

- 1 X Bosch CCS800 Chairman's microphone;
- 43 X Bosch CCS800 Delegate microphones;
- 1 X Bosch CCS800 Control unit;
- 10 X Bosch 10 metre extension cable;
- 4 X Bosch 5 metre extension cable;

DIGITAL RECORDING

- 1 X Olympus Digital Conference Kit

PORTABLE PUBLIC ADDRESS SYSTEM

- 1 X TZA-2000: Zone Mixer Amp (2 X 100W);
- 2 X Hybrid Amplifier 100v line;
- 2 X PLB-12 12' Moulded cab;
- 2 X Heavy duty tripod stand;
- 2 X ASM-580 Hand microphone wired;
- 4 X BMS-101 Mic floor stand with boom arm;
- 3 X MR801 Wireless lapel microphone;
- 2 X Trolley carrycase for mixer and mics; and
- 4 X Mipro uhf receiver.

Part 2

This system was procured by Council during 2008/2009 financial year and the entire equipment is still in good condition.

BOSCH CCS800 DELEGATE ADDRESS SYSTEM

- 1 X Bosch CCS800 Chairman's microphone;
- 59 X Bosch CCS800 Delegate microphone;
- 1 X Bosch CCS800 Control unit;
- 10 X Bosch 10 metre extension cable;
- 4 X Bosch 5 metre extension cable;

DIGITAL RECORDING

- 2 X Marantz PMD660 Digital Recorder;
- 2 X 1 Gig memory card;

Description: Maintenance of Repairs of Portable Public Address and Delegate Address Systems.

Quote No.: 8/2/2/57-2011

TRANSCRIPTION

2 X DVP Express Scribe Software with foot control and headset;

ADDITIONAL ACCESSORIES

Plasma 49” Samsung installed in the Council Chamber.

PORTABLE PUBLIC ADDRESS SYSTEM

- 1 X TZA-2000: Zone Mixer Amp (2 X 100W);
- 2 X Hybrid Amplifier 100v line;
- 2 X PLB-12 12’ Moulded cab;
- 2 X Heavy duty tripod stand;
- 2 X ASM-580 Hand microphone wired;
- 4 X BMS-101 Mic floor stand with boom arm;
- 3 X MR801 Wireless lapel microphone;
- 2 X Trolley carrycase for mixer and mics; and
- 4 X Mipro uhf receiver.

Contact Details On General Enquiries

- * All interested bidders should address all their technical enquiries and/or aspects of the tender to Mr Nelson Tshabalala at (016) 450 3090 or alternatively send their emails to nelsont@sedibeng.gov.za.
- * All other general enquiries on the tender should be directed to Mr. Collins Ramoshaba at (016) 450-3151 or alternatively send their emails to CollinsR@sedibeng.gov.za.

TECHNICAL EVALUATION/ASSESSMENT CRITERIA – ANNUAL SERVICE MAINTENANCE AGREEMENT FOR THE TWO BOSCH PUBLIC ADDRESS SYSTEMS

TECHNICAL AREA(S)	POINTS
Capability and capacity: (Core business of company on Public Address Systems)	40
Approach and Methodology: (Understanding of the requirements) particular to the statement of work, including operations and maintenance problems presented therein. The bidder should provide evidence of sufficient planning to that work will be accomplished, as required and on schedule, utilizing all available resources.	25
Relevant Experience/Proven track record: (Provide data on the level of experience in specific contracts of this type and recent references from customers for whom the bidder has rendered similar services. The bidder should also provide information on performance in past performance contracts, particularly as it relates to the bidders’ overall abilities.	35
In view of the above, the aforementioned technical area, as per the points	

Description: Maintenance of Repairs of Portable Public Address and Delegate Address Systems.

Quote No.: 8/2/2/57-2011

allocated overleaf will evaluated as follows:	
One year-three years = 5 Points Three years-ten years = 10 Points Ten years and more = 20 Points	
TOTAL:	100

Cognizance should be taken that the annual service maintenance for this equipment will be carried out by the successful bidder as when and required, which will mainly cover the replacement or general repairs of damaged parts.

The tender and/or quotations will be evaluated on the 80/20 principles as follows:

DESCRIPTION	POINTS
PRICE	80
HDI	8
Disability	2
Locality	6
Female	4
TOTAL	100

In order for a service provider to be scored in the Financial and Equity sections, the required services must fully comply with the bid specification, which will be evaluated during the technical evaluation process.